

## SLIDING SASH ENQUIRY FORM

Print, fill in and fax back to 0844 5610 624 or save and email to sales@quickslide.co.uk

Customer: ..... Customer Reference: .....

Address: ..... Customer Order No: .....


..... Date: ..... Collect Deliver


..... Project Type: Newbuild Refurbishment

..... If delivery address is different then please state: .....

Tel: ..... Fax: .....

Email: ..... Requested delivery (Week Commencing): .....


<p>SPEC AS PREVIOUS:</p>  <p>Width</p> <p>Height</p> <p>Transom Split</p>	<p>QUANTITY:</p> <p>WIDTH (mm): (350mm - 1500mm)</p> <p>HEIGHT (mm): (700mm - 3000mm)</p> <p>TRANSOM SPLIT (mm): Equal Split From Top (mm):</p>	<p>FRAME COLOUR:</p> <p>White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White</p> <p>FURNITURE COLOUR:</p> <p>White Gold Chrome Satin Chrome</p> <p>INTEGRAL CILL:</p> <p>150mm Cill with upstand (White &amp; Cream only) 150mm Cill 180mm Cill 225mm Cill (White &amp; Cream only)</p>	<p>GLASS:</p> <p>Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)</p> <p>TOUGHENED GLASS:</p> <p>None Bottom Sash Only Whole Window</p> <p>OBSCURE PATTERN:</p> <p>SINGLE VERTICAL BAR:</p> <p>None Internal Fret Surface Mounted Astragal</p> <p>GEORGIAN GRID:</p> <p>None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:</p>	<p>MISCELLENOUS:</p> <p>Argon Filled</p> <p>SPACER BAR COLOUR:</p> <p>White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)</p> <p>SASH EXTRAS:</p> <p>Horns Trickle/Night Vents</p> <p>SAFETY/CHILD RESTRICTORS:</p> <p>None White Gold Chrome</p> <p>FITTING EXTRAS:</p> <p>Fixing Brackets</p>
	<p>LOCATION:</p> <p>FIRE ESCAPE: No Yes</p> <p>ADDITIONAL REQUIREMENTS:</p>			


<p>SPEC AS PREVIOUS:</p>  <p>Width</p> <p>Height</p> <p>Transom Split</p>	<p>QUANTITY:</p> <p>WIDTH (mm): (350mm - 1500mm)</p> <p>HEIGHT (mm): (700mm - 3000mm)</p> <p>TRANSOM SPLIT (mm): Equal Split From Top (mm):</p>	<p>FRAME COLOUR:</p> <p>White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White</p> <p>FURNITURE COLOUR:</p> <p>White Gold Chrome Satin Chrome</p> <p>INTEGRAL CILL:</p> <p>150mm Cill with upstand (White &amp; Cream only) 150mm Cill 180mm Cill 225mm Cill (White &amp; Cream only)</p>	<p>GLASS:</p> <p>Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)</p> <p>TOUGHENED GLASS:</p> <p>None Bottom Sash Only Whole Window</p> <p>OBSCURE PATTERN:</p> <p>SINGLE VERTICAL BAR:</p> <p>None Internal Fret Surface Mounted Astragal</p> <p>GEORGIAN GRID:</p> <p>None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:</p>	<p>MISCELLENOUS:</p> <p>Argon Filled</p> <p>SPACER BAR COLOUR:</p> <p>White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)</p> <p>SASH EXTRAS:</p> <p>Horns Trickle/Night Vents</p> <p>SAFETY/CHILD RESTRICTORS:</p> <p>None White Gold Chrome</p> <p>FITTING EXTRAS:</p> <p>Fixing Brackets</p>
	<p>LOCATION:</p> <p>FIRE ESCAPE: No Yes</p> <p>ADDITIONAL REQUIREMENTS:</p>			


<b>SPEC AS PREVIOUS:</b>	<b>QUANTITY:</b>	<b>FRAME COLOUR:</b>	<b>GLASS:</b>	<b>MISCELLENOUS:</b>
	<b>WIDTH (mm):</b> (350mm - 1500mm)	White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	Argon Filled
	<b>HEIGHT (mm):</b> (700mm - 3000mm)	<b>FURNITURE COLOUR:</b> White Gold Chrome Satin Chrome	<b>TOUGHENED GLASS:</b> None Bottom Sash Only Whole Window	<b>SPACER BAR COLOUR:</b> White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
<b>LOCATION:</b>	<b>TRANSOM SPLIT (mm):</b> Equal Split From Top (mm):	<b>INTEGRAL CILL:</b> 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	<b>OBSCURE PATTERN:</b>	<b>SASH EXTRAS:</b> Horns Trickle/Night Vents
<b>ADDITIONAL REQUIREMENTS:</b>	<b>FIRE ESCAPE:</b> No Yes		<b>SINGLE VERTICAL BAR:</b> None Internal Fret Surface Mounted Astragal	<b>SAFETY/CHILD RESTRICTORS:</b> None White Gold Chrome
			<b>GEORGIAN GRID:</b> None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	<b>FITTING EXTRAS:</b> Fixing Brackets

<b>SPEC AS PREVIOUS:</b>	<b>QUANTITY:</b>	<b>FRAME COLOUR:</b>	<b>GLASS:</b>	<b>MISCELLENOUS:</b>
	<b>WIDTH (mm):</b> (350mm - 1500mm)	White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	Argon Filled
	<b>HEIGHT (mm):</b> (700mm - 3000mm)	<b>FURNITURE COLOUR:</b> White Gold Chrome Satin Chrome	<b>TOUGHENED GLASS:</b> None Bottom Sash Only Whole Window	<b>SPACER BAR COLOUR:</b> White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
<b>LOCATION:</b>	<b>TRANSOM SPLIT (mm):</b> Equal Split From Top (mm):	<b>INTEGRAL CILL:</b> 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	<b>OBSCURE PATTERN:</b>	<b>SASH EXTRAS:</b> Horns Trickle/Night Vents
<b>ADDITIONAL REQUIREMENTS:</b>	<b>FIRE ESCAPE:</b> No Yes		<b>SINGLE VERTICAL BAR:</b> None Internal Fret Surface Mounted Astragal	<b>SAFETY/CHILD RESTRICTORS:</b> None White Gold Chrome
			<b>GEORGIAN GRID:</b> None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	<b>FITTING EXTRAS:</b> Fixing Brackets

<b>SPEC AS PREVIOUS:</b>	<b>QUANTITY:</b>	<b>FRAME COLOUR:</b>	<b>GLASS:</b>	<b>MISCELLENOUS:</b>
	<b>WIDTH (mm):</b> (350mm - 1500mm)	White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	Argon Filled
	<b>HEIGHT (mm):</b> (700mm - 3000mm)	<b>FURNITURE COLOUR:</b> White Gold Chrome Satin Chrome	<b>TOUGHENED GLASS:</b> None Bottom Sash Only Whole Window	<b>SPACER BAR COLOUR:</b> White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
<b>LOCATION:</b>	<b>TRANSOM SPLIT (mm):</b> Equal Split From Top (mm):	<b>INTEGRAL CILL:</b> 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	<b>OBSCURE PATTERN:</b>	<b>SASH EXTRAS:</b> Horns Trickle/Night Vents
<b>ADDITIONAL REQUIREMENTS:</b>	<b>FIRE ESCAPE:</b> No Yes		<b>SINGLE VERTICAL BAR:</b> None Internal Fret Surface Mounted Astragal	<b>SAFETY/CHILD RESTRICTORS:</b> None White Gold Chrome
			<b>GEORGIAN GRID:</b> None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	<b>FITTING EXTRAS:</b> Fixing Brackets

<b>SPEC AS PREVIOUS:</b> 	<b>QUANTITY:</b>  <b>WIDTH (mm):</b> (350mm - 1500mm)	<b>FRAME COLOUR:</b> White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	<b>GLASS:</b> Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	<b>MISCELLENOUS:</b> Argon Filled
	<b>HEIGHT (mm):</b> (700mm - 3000mm)	<b>FURNITURE COLOUR:</b> White Gold Chrome Satin Chrome	<b>TOUGHENED GLASS:</b> None Bottom Sash Only Whole Window	<b>SPACER BAR COLOUR:</b> White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
<b>LOCATION:</b>	<b>TRANSOM SPLIT (mm):</b> Equal Split From Top (mm):	<b>INTEGRAL CILL:</b> 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	<b>OBSCURE PATTERN:</b>	<b>SASH EXTRAS:</b> Horns Trickle/Night Vents
<b>ADDITIONAL REQUIREMENTS:</b>	<b>FIRE ESCAPE:</b> No Yes		<b>SINGLE VERTICAL BAR:</b> None Internal Fret Surface Mounted Astragal	<b>SAFETY/CHILD RESTRICTORS:</b> None White Gold Chrome
			<b>GEORGIAN GRID:</b> None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	<b>FITTING EXTRAS:</b> Fixing Brackets


<b>SPEC AS PREVIOUS:</b> 	<b>QUANTITY:</b>  <b>WIDTH (mm):</b> (350mm - 1500mm)	<b>FRAME COLOUR:</b> White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	<b>GLASS:</b> Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	<b>MISCELLENOUS:</b> Argon Filled
	<b>HEIGHT (mm):</b> (700mm - 3000mm)	<b>FURNITURE COLOUR:</b> White Gold Chrome Satin Chrome	<b>TOUGHENED GLASS:</b> None Bottom Sash Only Whole Window	<b>SPACER BAR COLOUR:</b> White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
<b>LOCATION:</b>	<b>TRANSOM SPLIT (mm):</b> Equal Split From Top (mm):	<b>INTEGRAL CILL:</b> 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	<b>OBSCURE PATTERN:</b>	<b>SASH EXTRAS:</b> Horns Trickle/Night Vents
<b>ADDITIONAL REQUIREMENTS:</b>	<b>FIRE ESCAPE:</b> No Yes		<b>SINGLE VERTICAL BAR:</b> None Internal Fret Surface Mounted Astragal	<b>SAFETY/CHILD RESTRICTORS:</b> None White Gold Chrome
			<b>GEORGIAN GRID:</b> None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	<b>FITTING EXTRAS:</b> Fixing Brackets


<b>SPEC AS PREVIOUS:</b> 	<b>QUANTITY:</b>  <b>WIDTH (mm):</b> (350mm - 1500mm)	<b>FRAME COLOUR:</b> White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	<b>GLASS:</b> Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	<b>MISCELLENOUS:</b> Argon Filled
	<b>HEIGHT (mm):</b> (700mm - 3000mm)	<b>FURNITURE COLOUR:</b> White Gold Chrome Satin Chrome	<b>TOUGHENED GLASS:</b> None Bottom Sash Only Whole Window	<b>SPACER BAR COLOUR:</b> White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
<b>LOCATION:</b>	<b>TRANSOM SPLIT (mm):</b> Equal Split From Top (mm):	<b>INTEGRAL CILL:</b> 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	<b>OBSCURE PATTERN:</b>	<b>SASH EXTRAS:</b> Horns Trickle/Night Vents
<b>ADDITIONAL REQUIREMENTS:</b>	<b>FIRE ESCAPE:</b> No Yes		<b>SINGLE VERTICAL BAR:</b> None Internal Fret Surface Mounted Astragal	<b>SAFETY/CHILD RESTRICTORS:</b> None White Gold Chrome
			<b>GEORGIAN GRID:</b> None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	<b>FITTING EXTRAS:</b> Fixing Brackets


<b>SPEC AS PREVIOUS:</b>	<b>QUANTITY:</b>	<b>FRAME COLOUR:</b>	<b>GLASS:</b>	<b>MISCELLENOUS:</b>
	<b>WIDTH (mm):</b> (350mm - 1500mm)	White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	Argon Filled
	<b>HEIGHT (mm):</b> (700mm - 3000mm)		<b>TOUGHENED GLASS:</b> None Bottom Sash Only Whole Window	<b>SPACER BAR COLOUR:</b> White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
<b>LOCATION:</b>	<b>TRANSOM SPLIT (mm):</b> Equal Split From Top (mm):	<b>FURNITURE COLOUR:</b> White Gold Chrome Satin Chrome	<b>OBSCURE PATTERN:</b>	<b>SASH EXTRAS:</b> Horns Trickle/Night Vents
<b>ADDITIONAL REQUIREMENTS:</b>	<b>FIRE ESCAPE:</b> No Yes	<b>INTEGRAL CILL:</b> 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	<b>SINGLE VERTICAL BAR:</b> None Internal Fret Surface Mounted Astragal	<b>SAFETY/CHILD RESTRICTORS:</b> None White Gold Chrome
			<b>GEORGIAN GRID:</b> None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	<b>FITTING EXTRAS:</b> Fixing Brackets

<b>SPEC AS PREVIOUS:</b>	<b>QUANTITY:</b>	<b>FRAME COLOUR:</b>	<b>GLASS:</b>	<b>MISCELLENOUS:</b>
	<b>WIDTH (mm):</b> (350mm - 1500mm)	White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	Argon Filled
	<b>HEIGHT (mm):</b> (700mm - 3000mm)		<b>TOUGHENED GLASS:</b> None Bottom Sash Only Whole Window	<b>SPACER BAR COLOUR:</b> White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
<b>LOCATION:</b>	<b>TRANSOM SPLIT (mm):</b> Equal Split From Top (mm):	<b>FURNITURE COLOUR:</b> White Gold Chrome Satin Chrome	<b>OBSCURE PATTERN:</b>	<b>SASH EXTRAS:</b> Horns Trickle/Night Vents
<b>ADDITIONAL REQUIREMENTS:</b>	<b>FIRE ESCAPE:</b> No Yes	<b>INTEGRAL CILL:</b> 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	<b>SINGLE VERTICAL BAR:</b> None Internal Fret Surface Mounted Astragal	<b>SAFETY/CHILD RESTRICTORS:</b> None White Gold Chrome
			<b>GEORGIAN GRID:</b> None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	<b>FITTING EXTRAS:</b> Fixing Brackets

<b>SPEC AS PREVIOUS:</b>	<b>QUANTITY:</b>	<b>FRAME COLOUR:</b>	<b>GLASS:</b>	<b>MISCELLENOUS:</b>
	<b>WIDTH (mm):</b> (350mm - 1500mm)	White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	Argon Filled
	<b>HEIGHT (mm):</b> (700mm - 3000mm)		<b>TOUGHENED GLASS:</b> None Bottom Sash Only Whole Window	<b>SPACER BAR COLOUR:</b> White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
<b>LOCATION:</b>	<b>TRANSOM SPLIT (mm):</b> Equal Split From Top (mm):	<b>FURNITURE COLOUR:</b> White Gold Chrome Satin Chrome	<b>OBSCURE PATTERN:</b>	<b>SASH EXTRAS:</b> Horns Trickle/Night Vents
<b>ADDITIONAL REQUIREMENTS:</b>	<b>FIRE ESCAPE:</b> No Yes	<b>INTEGRAL CILL:</b> 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	<b>SINGLE VERTICAL BAR:</b> None Internal Fret Surface Mounted Astragal	<b>SAFETY/CHILD RESTRICTORS:</b> None White Gold Chrome
			<b>GEORGIAN GRID:</b> None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	<b>FITTING EXTRAS:</b> Fixing Brackets

<b>SPEC AS PREVIOUS:</b> 	<b>QUANTITY:</b>  <b>WIDTH (mm):</b> (350mm - 1500mm)	<b>FRAME COLOUR:</b> White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	<b>GLASS:</b> Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	<b>MISCELLENOUS:</b> Argon Filled
	<b>HEIGHT (mm):</b> (700mm - 3000mm)	<b>FURNITURE COLOUR:</b> White Gold Chrome Satin Chrome	<b>TOUGHENED GLASS:</b> None Bottom Sash Only Whole Window	<b>SPACER BAR COLOUR:</b> White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
<b>LOCATION:</b>	<b>TRANSOM SPLIT (mm):</b> Equal Split From Top (mm):	<b>INTEGRAL CILL:</b> 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	<b>OBSCURE PATTERN:</b>	<b>SASH EXTRAS:</b> Horns Trickle/Night Vents
<b>ADDITIONAL REQUIREMENTS:</b>	<b>FIRE ESCAPE:</b> No Yes		<b>SINGLE VERTICAL BAR:</b> None Internal Fret Surface Mounted Astragal	<b>SAFETY/CHILD RESTRICTORS:</b> None White Gold Chrome
			<b>GEORGIAN GRID:</b> None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	<b>FITTING EXTRAS:</b> Fixing Brackets

<b>SPEC AS PREVIOUS:</b> 	<b>QUANTITY:</b>  <b>WIDTH (mm):</b> (350mm - 1500mm)	<b>FRAME COLOUR:</b> White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	<b>GLASS:</b> Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	<b>MISCELLENOUS:</b> Argon Filled
	<b>HEIGHT (mm):</b> (700mm - 3000mm)	<b>FURNITURE COLOUR:</b> White Gold Chrome Satin Chrome	<b>TOUGHENED GLASS:</b> None Bottom Sash Only Whole Window	<b>SPACER BAR COLOUR:</b> White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
<b>LOCATION:</b>	<b>TRANSOM SPLIT (mm):</b> Equal Split From Top (mm):	<b>INTEGRAL CILL:</b> 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	<b>OBSCURE PATTERN:</b>	<b>SASH EXTRAS:</b> Horns Trickle/Night Vents
<b>ADDITIONAL REQUIREMENTS:</b>	<b>FIRE ESCAPE:</b> No Yes		<b>SINGLE VERTICAL BAR:</b> None Internal Fret Surface Mounted Astragal	<b>SAFETY/CHILD RESTRICTORS:</b> None White Gold Chrome
			<b>GEORGIAN GRID:</b> None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	<b>FITTING EXTRAS:</b> Fixing Brackets

<b>SPEC AS PREVIOUS:</b> 	<b>QUANTITY:</b>  <b>WIDTH (mm):</b> (350mm - 1500mm)	<b>FRAME COLOUR:</b> White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	<b>GLASS:</b> Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	<b>MISCELLENOUS:</b> Argon Filled
	<b>HEIGHT (mm):</b> (700mm - 3000mm)	<b>FURNITURE COLOUR:</b> White Gold Chrome Satin Chrome	<b>TOUGHENED GLASS:</b> None Bottom Sash Only Whole Window	<b>SPACER BAR COLOUR:</b> White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
<b>LOCATION:</b>	<b>TRANSOM SPLIT (mm):</b> Equal Split From Top (mm):	<b>INTEGRAL CILL:</b> 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	<b>OBSCURE PATTERN:</b>	<b>SASH EXTRAS:</b> Horns Trickle/Night Vents
<b>ADDITIONAL REQUIREMENTS:</b>	<b>FIRE ESCAPE:</b> No Yes		<b>SINGLE VERTICAL BAR:</b> None Internal Fret Surface Mounted Astragal	<b>SAFETY/CHILD RESTRICTORS:</b> None White Gold Chrome
			<b>GEORGIAN GRID:</b> None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	<b>FITTING EXTRAS:</b> Fixing Brackets