

SLIDING SASH ENQUIRY FORM

Print, fill in and fax back to 0844 5610 624 or save and email to sales@quickslide.co.uk

Customer: Customer Reference:

Address: Customer Order No:


..... Date: Collect Deliver


..... Project Type: Newbuild Refurbishment

..... If delivery address is different then please state:

Tel: Fax:

Email: Requested delivery (Week Commencing):


<p>SPEC AS PREVIOUS:</p>  <p>LOCATION:</p> <p>ADDITIONAL REQUIREMENTS:</p>	<p>QUANTITY:</p> <p>WIDTH (mm): (350mm - 1500mm)</p> <p>HEIGHT (mm): (700mm - 3000mm)</p> <p>TRANSOM SPLIT (mm): Equal Split From Top (mm):</p> <p>FIRE ESCAPE: No Yes</p>	<p>FRAME COLOUR: White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White</p> <p>FURNITURE COLOUR: White Gold Chrome Satin Chrome</p> <p>INTEGRAL CILL: 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)</p>	<p>GLASS: Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)</p> <p>TOUGHENED GLASS: None Bottom Sash Only Whole Window</p> <p>OBSCURE PATTERN:</p> <p>SINGLE VERTICAL BAR: None Internal Fret Surface Mounted Astragal</p> <p>GEORGIAN GRID: None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:</p>	<p>MISCELLENOUS: Argon Filled</p> <p>SPACER BAR COLOUR: White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)</p> <p>SASH EXTRAS: Horns Trickle/Night Vents</p> <p>SAFETY/CHILD RESTRICTORS: None White Gold Chrome</p> <p>FITTING EXTRAS: Fixing Brackets</p>
	<p>QUANTITY:</p> <p>WIDTH (mm): (350mm - 1500mm)</p> <p>HEIGHT (mm): (700mm - 3000mm)</p> <p>TRANSOM SPLIT (mm): Equal Split From Top (mm):</p> <p>FIRE ESCAPE: No Yes</p>	<p>FRAME COLOUR: White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White</p> <p>FURNITURE COLOUR: White Gold Chrome Satin Chrome</p> <p>INTEGRAL CILL: 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)</p>	<p>GLASS: Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)</p> <p>TOUGHENED GLASS: None Bottom Sash Only Whole Window</p> <p>OBSCURE PATTERN:</p> <p>SINGLE VERTICAL BAR: None Internal Fret Surface Mounted Astragal</p> <p>GEORGIAN GRID: None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:</p>	<p>MISCELLENOUS: Argon Filled</p> <p>SPACER BAR COLOUR: White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)</p> <p>SASH EXTRAS: Horns Trickle/Night Vents</p> <p>SAFETY/CHILD RESTRICTORS: None White Gold Chrome</p> <p>FITTING EXTRAS: Fixing Brackets</p>


<p>SPEC AS PREVIOUS:</p>  <p>LOCATION:</p> <p>ADDITIONAL REQUIREMENTS:</p>	<p>QUANTITY:</p> <p>WIDTH (mm): (350mm - 1500mm)</p> <p>HEIGHT (mm): (700mm - 3000mm)</p> <p>TRANSOM SPLIT (mm): Equal Split From Top (mm):</p> <p>FIRE ESCAPE: No Yes</p>	<p>FRAME COLOUR: White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White</p> <p>FURNITURE COLOUR: White Gold Chrome Satin Chrome</p> <p>INTEGRAL CILL: 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)</p>	<p>GLASS: Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)</p> <p>TOUGHENED GLASS: None Bottom Sash Only Whole Window</p> <p>OBSCURE PATTERN:</p> <p>SINGLE VERTICAL BAR: None Internal Fret Surface Mounted Astragal</p> <p>GEORGIAN GRID: None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:</p>	<p>MISCELLENOUS: Argon Filled</p> <p>SPACER BAR COLOUR: White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)</p> <p>SASH EXTRAS: Horns Trickle/Night Vents</p> <p>SAFETY/CHILD RESTRICTORS: None White Gold Chrome</p> <p>FITTING EXTRAS: Fixing Brackets</p>
	<p>QUANTITY:</p> <p>WIDTH (mm): (350mm - 1500mm)</p> <p>HEIGHT (mm): (700mm - 3000mm)</p> <p>TRANSOM SPLIT (mm): Equal Split From Top (mm):</p> <p>FIRE ESCAPE: No Yes</p>	<p>FRAME COLOUR: White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White</p> <p>FURNITURE COLOUR: White Gold Chrome Satin Chrome</p> <p>INTEGRAL CILL: 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)</p>	<p>GLASS: Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)</p> <p>TOUGHENED GLASS: None Bottom Sash Only Whole Window</p> <p>OBSCURE PATTERN:</p> <p>SINGLE VERTICAL BAR: None Internal Fret Surface Mounted Astragal</p> <p>GEORGIAN GRID: None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:</p>	<p>MISCELLENOUS: Argon Filled</p> <p>SPACER BAR COLOUR: White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)</p> <p>SASH EXTRAS: Horns Trickle/Night Vents</p> <p>SAFETY/CHILD RESTRICTORS: None White Gold Chrome</p> <p>FITTING EXTRAS: Fixing Brackets</p>


SPEC AS PREVIOUS:	QUANTITY:	FRAME COLOUR:	GLASS:	MISCELLENOUS:
	WIDTH (mm): (350mm - 1500mm)	White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	Argon Filled
	HEIGHT (mm): (700mm - 3000mm)	FURNITURE COLOUR: White Gold Chrome Satin Chrome	TOUGHENED GLASS: None Bottom Sash Only Whole Window	SPACER BAR COLOUR: White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
LOCATION:	TRANSOM SPLIT (mm): Equal Split From Top (mm):	INTEGRAL CILL: 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	OBSCURE PATTERN:	SASH EXTRAS: Horns Trickle/Night Vents
ADDITIONAL REQUIREMENTS:	FIRE ESCAPE: No Yes		SINGLE VERTICAL BAR: None Internal Fret Surface Mounted Astragal	SAFETY/CHILD RESTRICTORS: None White Gold Chrome
			GEORGIAN GRID: None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	FITTING EXTRAS: Fixing Brackets


SPEC AS PREVIOUS:	QUANTITY:	FRAME COLOUR:	GLASS:	MISCELLENOUS:
	WIDTH (mm): (350mm - 1500mm)	White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	Argon Filled
	HEIGHT (mm): (700mm - 3000mm)	FURNITURE COLOUR: White Gold Chrome Satin Chrome	TOUGHENED GLASS: None Bottom Sash Only Whole Window	SPACER BAR COLOUR: White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
LOCATION:	TRANSOM SPLIT (mm): Equal Split From Top (mm):	INTEGRAL CILL: 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	OBSCURE PATTERN:	SASH EXTRAS: Horns Trickle/Night Vents
ADDITIONAL REQUIREMENTS:	FIRE ESCAPE: No Yes		SINGLE VERTICAL BAR: None Internal Fret Surface Mounted Astragal	SAFETY/CHILD RESTRICTORS: None White Gold Chrome
			GEORGIAN GRID: None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	FITTING EXTRAS: Fixing Brackets

SPEC AS PREVIOUS:	QUANTITY:	FRAME COLOUR:	GLASS:	MISCELLENOUS:
	WIDTH (mm): (350mm - 1500mm)	White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	Argon Filled
	HEIGHT (mm): (700mm - 3000mm)	FURNITURE COLOUR: White Gold Chrome Satin Chrome	TOUGHENED GLASS: None Bottom Sash Only Whole Window	SPACER BAR COLOUR: White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
LOCATION:	TRANSOM SPLIT (mm): Equal Split From Top (mm):	INTEGRAL CILL: 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	OBSCURE PATTERN:	SASH EXTRAS: Horns Trickle/Night Vents
ADDITIONAL REQUIREMENTS:	FIRE ESCAPE: No Yes		SINGLE VERTICAL BAR: None Internal Fret Surface Mounted Astragal	SAFETY/CHILD RESTRICTORS: None White Gold Chrome
			GEORGIAN GRID: None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	FITTING EXTRAS: Fixing Brackets

SPEC AS PREVIOUS: 	QUANTITY: WIDTH (mm): (350mm - 1500mm)	FRAME COLOUR: White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	GLASS: Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	MISCELLENOUS: Argon Filled
	HEIGHT (mm): (700mm - 3000mm)	FURNITURE COLOUR: White Gold Chrome Satin Chrome	TOUGHENED GLASS: None Bottom Sash Only Whole Window	SPACER BAR COLOUR: White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
LOCATION:	TRANSOM SPLIT (mm): Equal Split From Top (mm):	INTEGRAL CILL: 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	OBSCURE PATTERN:	SASH EXTRAS: Horns Trickle/Night Vents
ADDITIONAL REQUIREMENTS:	FIRE ESCAPE: No Yes		SINGLE VERTICAL BAR: None Internal Fret Surface Mounted Astragal	SAFETY/CHILD RESTRICTORS: None White Gold Chrome
			GEORGIAN GRID: None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	FITTING EXTRAS: Fixing Brackets

SPEC AS PREVIOUS: 	QUANTITY: WIDTH (mm): (350mm - 1500mm)	FRAME COLOUR: White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	GLASS: Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	MISCELLENOUS: Argon Filled
	HEIGHT (mm): (700mm - 3000mm)	FURNITURE COLOUR: White Gold Chrome Satin Chrome	TOUGHENED GLASS: None Bottom Sash Only Whole Window	SPACER BAR COLOUR: White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
LOCATION:	TRANSOM SPLIT (mm): Equal Split From Top (mm):	INTEGRAL CILL: 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	OBSCURE PATTERN:	SASH EXTRAS: Horns Trickle/Night Vents
ADDITIONAL REQUIREMENTS:	FIRE ESCAPE: No Yes		SINGLE VERTICAL BAR: None Internal Fret Surface Mounted Astragal	SAFETY/CHILD RESTRICTORS: None White Gold Chrome
			GEORGIAN GRID: None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	FITTING EXTRAS: Fixing Brackets


SPEC AS PREVIOUS: 	QUANTITY: WIDTH (mm): (350mm - 1500mm)	FRAME COLOUR: White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	GLASS: Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	MISCELLENOUS: Argon Filled
	HEIGHT (mm): (700mm - 3000mm)	FURNITURE COLOUR: White Gold Chrome Satin Chrome	TOUGHENED GLASS: None Bottom Sash Only Whole Window	SPACER BAR COLOUR: White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)
LOCATION:	TRANSOM SPLIT (mm): Equal Split From Top (mm):	INTEGRAL CILL: 150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	OBSCURE PATTERN:	SASH EXTRAS: Horns Trickle/Night Vents
ADDITIONAL REQUIREMENTS:	FIRE ESCAPE: No Yes		SINGLE VERTICAL BAR: None Internal Fret Surface Mounted Astragal	SAFETY/CHILD RESTRICTORS: None White Gold Chrome
			GEORGIAN GRID: None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	FITTING EXTRAS: Fixing Brackets

SPEC AS PREVIOUS:**LOCATION:****ADDITIONAL REQUIREMENTS:****QUANTITY:****WIDTH (mm):**
(350mm - 1500mm)**HEIGHT (mm):**
(700mm - 3000mm)**TRANSOM SPLIT (mm):**
Equal Split
From Top (mm):**FIRE ESCAPE:**
No
Yes**FRAME COLOUR:**White
White Woodgrain
Cream
Light Oak
Light Oak / White
Rosewood
Rosewood / White
Black Woodgrain / White**FURNITURE COLOUR:**White
Gold
Chrome
Satin Chrome**INTEGRAL CILL:**150mm Cill with upstand
(White & Cream only)
150mm Cill
180mm Cill
225mm Cill
(White & Cream only)**GLASS:**Pilkington K
Pilkington EnergiKare
(Required for C Rated BFRC)**TOUGHENED GLASS:**None
Bottom Sash Only
Whole Window**OBSCURE PATTERN:****SINGLE VERTICAL BAR:**None
Internal Fret
Surface Mounted Astragal**GEORGIAN GRID:**None
Internal Fret
Surface Mounted Astragal
No of squares across:
No of squares down:**MISCELLENOUS:**

Argon Filled

SPACER BAR COLOUR:White
Bronze
Silver
Gold
Warm Edge
(Required for C Rated BFRC)**SASH EXTRAS:**Horns
Trickle/Night Vents**SAFETY/CHILD RESTRICTORS:**None
White
Gold
Chrome**FITTING EXTRAS:**


Fixing Brackets

SPEC AS PREVIOUS:**LOCATION:****ADDITIONAL REQUIREMENTS:****QUANTITY:****WIDTH (mm):**
(350mm - 1500mm)**HEIGHT (mm):**
(700mm - 3000mm)**TRANSOM SPLIT (mm):**
Equal Split
From Top (mm):**FIRE ESCAPE:**
No
Yes**FRAME COLOUR:**White
White Woodgrain
Cream
Light Oak
Light Oak / White
Rosewood
Rosewood / White
Black Woodgrain / White**FURNITURE COLOUR:**White
Gold
Chrome
Satin Chrome**INTEGRAL CILL:**150mm Cill with upstand
(White & Cream only)
150mm Cill
180mm Cill
225mm Cill
(White & Cream only)**GLASS:**Pilkington K
Pilkington EnergiKare
(Required for C Rated BFRC)**TOUGHENED GLASS:**None
Bottom Sash Only
Whole Window**OBSCURE PATTERN:****SINGLE VERTICAL BAR:**None
Internal Fret
Surface Mounted Astragal**GEORGIAN GRID:**None
Internal Fret
Surface Mounted Astragal
No of squares across:
No of squares down:**MISCELLENOUS:**

Argon Filled

SPACER BAR COLOUR:White
Bronze
Silver
Gold
Warm Edge
(Required for C Rated BFRC)**SASH EXTRAS:**Horns
Trickle/Night Vents**SAFETY/CHILD RESTRICTORS:**None
White
Gold
Chrome**FITTING EXTRAS:**

Fixing Brackets

SPEC AS PREVIOUS:**LOCATION:****ADDITIONAL REQUIREMENTS:****QUANTITY:****WIDTH (mm):**
(350mm - 1500mm)**HEIGHT (mm):**
(700mm - 3000mm)**TRANSOM SPLIT (mm):**
Equal Split
From Top (mm):**FIRE ESCAPE:**
No
Yes**FRAME COLOUR:**White
White Woodgrain
Cream
Light Oak
Light Oak / White
Rosewood
Rosewood / White
Black Woodgrain / White**FURNITURE COLOUR:**White
Gold
Chrome
Satin Chrome**INTEGRAL CILL:**150mm Cill with upstand
(White & Cream only)
150mm Cill
180mm Cill
225mm Cill
(White & Cream only)**GLASS:**Pilkington K
Pilkington EnergiKare
(Required for C Rated BFRC)**TOUGHENED GLASS:**None
Bottom Sash Only
Whole Window**OBSCURE PATTERN:****SINGLE VERTICAL BAR:**None
Internal Fret
Surface Mounted Astragal**GEORGIAN GRID:**None
Internal Fret
Surface Mounted Astragal
No of squares across:
No of squares down:**MISCELLENOUS:**

Argon Filled

SPACER BAR COLOUR:White
Bronze
Silver
Gold
Warm Edge
(Required for C Rated BFRC)**SASH EXTRAS:**Horns
Trickle/Night Vents**SAFETY/CHILD RESTRICTORS:**None
White
Gold
Chrome**FITTING EXTRAS:**

Fixing Brackets

SPEC AS PREVIOUS:	QUANTITY:	FRAME COLOUR:	GLASS:	MISCELLENOUS:
	WIDTH (mm): (350mm - 1500mm)	White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	Argon Filled
	HEIGHT (mm): (700mm - 3000mm)	FURNITURE COLOUR:	TOUGHENED GLASS:	SPACER BAR COLOUR:
TRANSOM SPLIT (mm): Equal Split From Top (mm):	White Gold Chrome Satin Chrome	None Bottom Sash Only Whole Window	White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)	
LOCATION:	INTEGRAL CILL:	OBSCURE PATTERN:	SASH EXTRAS:	
FIRE ESCAPE: No Yes	150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	SINGLE VERTICAL BAR:	Horns Trickle/Night Vents	
ADDITIONAL REQUIREMENTS:		None Internal Fret Surface Mounted Astragal	SAFETY/CHILD RESTRICTORS:	
		GEORGIAN GRID:	None White Gold Chrome	
		None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	FITTING EXTRAS: Fixing Brackets	

SPEC AS PREVIOUS:	QUANTITY:	FRAME COLOUR:	GLASS:	MISCELLENOUS:
	WIDTH (mm): (350mm - 1500mm)	White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	Argon Filled
	HEIGHT (mm): (700mm - 3000mm)	FURNITURE COLOUR:	TOUGHENED GLASS:	SPACER BAR COLOUR:
TRANSOM SPLIT (mm): Equal Split From Top (mm):	White Gold Chrome Satin Chrome	None Bottom Sash Only Whole Window	White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)	
LOCATION:	INTEGRAL CILL:	OBSCURE PATTERN:	SASH EXTRAS:	
FIRE ESCAPE: No Yes	150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	SINGLE VERTICAL BAR:	Horns Trickle/Night Vents	
ADDITIONAL REQUIREMENTS:		None Internal Fret Surface Mounted Astragal	SAFETY/CHILD RESTRICTORS:	
		GEORGIAN GRID:	None White Gold Chrome	
		None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	FITTING EXTRAS: Fixing Brackets	

SPEC AS PREVIOUS:	QUANTITY:	FRAME COLOUR:	GLASS:	MISCELLENOUS:
	WIDTH (mm): (350mm - 1500mm)	White White Woodgrain Cream Light Oak Light Oak / White Rosewood Rosewood / White Black Woodgrain / White	Pilkington K Pilkington EnergiKare (Required for C Rated BFRC)	Argon Filled
	HEIGHT (mm): (700mm - 3000mm)	FURNITURE COLOUR:	TOUGHENED GLASS:	SPACER BAR COLOUR:
TRANSOM SPLIT (mm): Equal Split From Top (mm):	White Gold Chrome Satin Chrome	None Bottom Sash Only Whole Window	White Bronze Silver Gold Warm Edge (Required for C Rated BFRC)	
LOCATION:	INTEGRAL CILL:	OBSCURE PATTERN:	SASH EXTRAS:	
FIRE ESCAPE: No Yes	150mm Cill with upstand (White & Cream only) 150mm Cill 180mm Cill 225mm Cill (White & Cream only)	SINGLE VERTICAL BAR:	Horns Trickle/Night Vents	
ADDITIONAL REQUIREMENTS:		None Internal Fret Surface Mounted Astragal	SAFETY/CHILD RESTRICTORS:	
		GEORGIAN GRID:	None White Gold Chrome	
		None Internal Fret Surface Mounted Astragal No of squares across: No of squares down:	FITTING EXTRAS: Fixing Brackets	