



BS EN 14351-1:2006+A2:2016

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

DECLARATION OF CONFORMITY

THIS IS TO CERTIFY THAT

QUICKSLIDE LTD

HEATON ESTATE, BRADFORD ROAD, WEST YORKSHIRE. HD6 4BW



HAVE CONFORMED WITH EN 14351-1:2006 + A2:2016 ANNEX ZA

FOR

DECEUNINCK PVC WINDOWS & DOORS

SPECTUS PVC VERTICAL SLIDING WINDOWS

SMART SYSTEMS ALUMINIUM WINDOW AND DOORSETS

WINDOWS & DOORS INTENDED TO BE USED IN DOMESTIC AND COMMERCIAL
LOCATIONS

INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION
CONTROL COMPLYING WITH EN 14351-1:2006 + A2:2016 ANNEX ZA

PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND
PERFORMANCE INDICATION PAPERS FOR ALL COMPONENTS

INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS

DANGEROUS SUBSTANCES - Clause 4.6

LOAD BEARING CAPACITY OF SAFETY DEVICES - Clause 4.8

THERMAL CHARACTERISTICS - Clause 4.12

Signed: 

Position: 

Date: 13/3/20



DECLARATION OF PERFORMANCE (CHARACTERISTICS)

QUICKSLIDE LTD

HEATON ESTATE, BRADFORD ROAD, WEST YORKSHIRE. HD6 4BW

13

EN 14351-1:2006 + A2:2016

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

DECEUNINCK PVC WINDOWS & DOORS

SPECTUS PVC VERTICAL SLIDING WINDOWS

SMARTS ALUMINIUM WINDOWS & DOORS

Characteristics	Declared Value
Dangerous Substances	None
Thermal Transmittance	PVC Frames $\leq 3.4W/(m^2K)$ Aluminium Frames $\leq 4.1W/(m^2K)$
Load Bearing Capacity of Safety Devices	Passed
Resistance to Wind Load	NPD
Resistance to snow and permanent load	NPD
Reaction to fire	NPD
External Fire Performance	NPD
Water tightness	NPD
Impact Resistance	NPD
Radiation Properties	NPD
Acoustic Performance	NPD
Air Permeability	NPD
The Ability to Release	NPD

This declaration relates to a worst case scenario and as such all our products will give an equal to or better (lower) than performance to that quoted

Signed: 

Date: 13/3/20

Position: MANAGING DIRECTOR